# EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA Simplified Process Interconnection Application and Service Agreement [submit form via email to: NHDG@eversource.com]

Eversource Application Project ID#:

#### Contact Information.

Contact Information:			
Legal Name and Address of Interconnecti	ng Customer (o	or, Company name, i	if appropriate)
Customer or Company Name (print):			
Contact Person, if Company:			
Mailing Address:			
City:	State:		Zip Code:
Telephone (Daytime):		(Eve	ening):
Facsimile Number:		E-Mail Addres	SS:
Alternative Contact Information (e.g., S	•		
Name:			
Mailing Address:			
City:	State:		Zip Code:
Telephone (Daytime):		(Evening):	
Facsimile Number:		E-Mail Address:	
Electrical Contractor Contact Information Name: Mailing Address:			
			Zip Code:
-			_
		(Evening): E-Mail Address:	
			55
Facility Site Information:			
Facility (Site) Address:			
City:	State:	NH	Zip Code:
Electric			
Service Company:Eversource	Account N	umber:	Meter Number:
			and enter the correct Account Number and Meter please provide the Eversource Work Request number.
Eversource Work Request #			
Non-Default' Service Customers Only:			
Competitive Electric			
Energy Supply Company:	Account Number:		

(Customer's with a Competitive Energy Supply Company should verify the Terms & Conditions of their contract with their Energy Supply Company.)

# EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

## Simplified Process Interconnection Application and Service Agreement

<b>Facility Machine Information</b>	<u>:</u>		
Generator/	Mo	odel Name &	
Inverter Manufacturer:	Nu	mber:	Quantity:
Nameplate Rating:	(kW)(kV.	A)(AC Volts)	Phase: Single Three
Nameplate Rating: The Max AG	C Nameplate rating of the i	ndividual inverter.	
System Design Capacity:	(kW)	(kVA) Battery Ba	ckup: Yes No
System Design Capacity: The s sum of the AC nameplate rating	•	AC ratings. If there are mu	Itiple inverters installed in the system, this is the
Net Metering: If Renewably Fu	eled, will the account be N	et Metered? Yes	No 🗌
Prime Mover: Photovoltaic	Reciprocating Engine	Fuel Cell	Furbine   Other
Energy Source: Solar Wi	nd Hydro Diese	l Natural Gas	Fuel Oil 🗌 Other
Inverter-based Generating Fa	acilities:		
UL 1741 / IEEE 1547.1 Compl Yes No	iant ( <b>Refer To Part Puc 906</b>	Compliance Path For Inve	rter Units, Part Puc 906.01 Inverter Requirements)
Systems," addresses the electric submit their equipment to a National Statement to a National Statement (Statement Statement S	cal interconnection design of tionally Recognized Testin ed on the equipment an	of various forms of genera g Laboratory (NRTL) that d supporting documen	collers for Use With Independent Power ting equipment. Many manufacturers choose to everifies compliance with UL 1741.1. This tation. <i>Please include, any documentation</i> <i>E 1547.1 listing.</i>
External Manual Disconnect	Switch		
		n accordance with 'Part Pi	ic 905 Technical Requirements For
Interconnections For Facilities, I			-
Yes No			
Location of External Manual D	isconnect Switch:		
Project Estimated Install Date:		Project Estimated	I In-Service Date:
Interconnecting Customer Sig	<u>gnature:</u>		
I hereby certify that, to the best and Conditions for Simplified	•	-	this application is true and I agree to the <u>Terms</u>
Customer Signature:			Date: gram must indicate the generator connection
			gram must indicate the generator connection Applications without such a diagram may be
	For B	versource Use Only	
Approval to Install Eagility:		versource Use Omy	
Approval to Install Facility:	proved contingent upon the	Terms and Conditions E	or Simplified Process Interconnections of this
Agreement, and agreement to a			5. Shiphiled Freess interconnections of this
Are system modifications requi		-	
Company Signature:		Title:	Date:

#### EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes 🗌 No 🗌

Date of inspection/Witness Test:

- 1. **Construction of the Facility**. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements, rights of way, set back, or other physical contrutruction issues.
- 2. **Interconnection and operation**. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
  - 2.1. **Municipal Inspection**. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
  - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
  - 2.3. Company has completed or waived the right to inspection.
- 3. **Company Right of Inspection**. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. **Metering and Billing**. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
  - 6.1. **Interconnecting Customer Provides:** The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
  - 6.2. **Company Installs Meter**. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. **Indemnification**. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
  - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
  - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
  - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. **Interconnection Standard**. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

# **EVERSOURCE - NEW HAMPSHIRE** INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA **Simplified Process Interconnection Application Customer Requirements "Checklist"**

Please provide the following information with your Application.

Electrical Sketch / Site Plan

- Does not need to be PE stamped.
- Must show the existing/proposed service, including the Eversource revenue metering, and how the proposed \_ generation will interconnect to it.
- Can be hand drawn, but must be legible.
- Include: Size of main breaker, external AC disconnect switch (when required or installed), kW rating, Inverter(s) and existing or back up generation (if applicable).
- AC generator disconnects are required for systems over 10.0 kW. NOTE: Eversource may require a disconnect switch for smaller systems in accordance with Part PUC 905 Technical Requirements for Interconnections For Facilities, PUC 905.01 Requirements For Disconnect Switches and 905.02 Disconnect Switch.
- Must show actual proposed equipment. Ex: Do NOT include "MIN 60A" for a disconnect size.

Provide photograph of Eversource revenue meter that the generation will interconnect behind. If property has multiple meters, it is important that the application documentation clearly identify which meter relates to the generation source.

Inverter cut sheet. Provide UL 1741 and IEEE 1547 certification (if not already on file).

Eversource Work Request number if; a new service or a service upgrade.

For projects with Max AC inverter rating greater than 10.0 kW, also submit a Supplemental Review Agreement and mail the required fee (see page 5 of this application). The required Supplemental Review fee is based on the table below and must be paid via paper check payable to "Eversource Energy" and mailed to the address below.

Project Size (Max AC rating of inverters)	Supplemental Review Fee
>10 kW to 30 kW	\$125
>30 kW to 50 kW	\$500
>50 kW to 100 kW	\$1000

Applications submitted without the appropriate documentation will be delayed in processing and/or returned.

NHDG@eversource.com Submit form and supporting information via email to: Hard copies and checks may be mailed to:

Eversource - Distributed Generation (NH) 780 North Commercial Street Manchester, NH 03105-0330

## EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

#### Supplemental Review Agreement

is Agreement, dated, is entered into by and between				
("Interconnecting Customer") and Eversource				
Company"), for the purpose of setting forth the terms, conditions and costs for conducting a Supplemental Review relative				
the Interconnection Process as defined in Section 1.0 and outlined in Section 3.0 of the Interconnection Standard. This				
pplemental Review pertains to the interconnection application the Interconnecting Customer has filed with the Company				
r interconnecting akW Facility (Max AC rating) at(Facility				
dress). If the Supplemental Review determines the requirements for processing the application including any System				
Modifications, then the modification requirements and costs for those modifications will be identified and included in a				
ling statement sent by the Company to the Interconnecting Customer for authorization and payment. If the Supplemental				
view does not determine the requirements, it will include a proposed Impact Study Agreement as part of the Company's				
ndard interconnection process which will include an estimate of the cost of the study.				

The Interconnecting Customer agrees to provide, in a timely and complete manner, all additional information and technical data necessary for the Company to conduct the Supplemental Review not already provided in the Interconnecting Customer's application.

All work pertaining to the Supplemental Review that is the subject of this Agreement will be approved and coordinated only through designated and authorized representatives of the Company and the Interconnecting Customer. Each party shall inform the other in writing of its designated and authorized representative, if different than what is in the application. The fee for this Supplemental Review is shown in the table below:

Project Size (Max AC rating of inverters)	Supplemental Review Fee
>10 kW to 30 kW	\$125
>30 kW to 50 kW	\$500
>50 kW to 100 kW	\$1000

No work will be performed until payment is received. Make check payable to "Eversource Energy". Send to:

Eversource – Distributed Generation (NH) 780 North Commercial Street Manchester, NH 03105-0330

Please indicate your acceptance of this Agreement by signing below.

Interconnecting Customer

\_\_\_\_/\_\_\_/\_\_\_\_ Date