

In support of moving customer projects forward, the meter sockets listed below are only approved during the meter socket shortage.

All sockets shall have a lever bypass with clamping jaws, arc flash shield, ringless cover, and a bonding connection between the neutral and the enclosure.

*Eversource installs and owns the cable for services fed from a duct and manhole system. These meter sockets are the only option approved for this type of installation.

| TEMPORARILY APPROVED UNTIL 12-31-2024 | MANUFACTURER | NUMBER OF POSITIONS | TYPE OF SERVICE | RINGLESS MODEL NUMBER | SERVICE SIZE/ AMPS | WHEN USED FOR UNDERGROUND SERVICES |
|---|----------------------------|------------------------|--------------------|--------------------------|-----------------------|---------------------------------------|
| APPROVED | Leviton w/disconnect/panel | 1 | OH/UG | LP815-5MC | 150 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Leviton w/disconnect/panel | 1 | OH/UG | LP820-5MC | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U9801-RXL | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | UG | U3924-XL | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | UG | U4031-O-2/200 | 320 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | UG | U6584-O-2/200-BL | 320 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | OH/UG | U6228-X-400-K3-BL | 320 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Leviton w/disconnect/panel | 1 | OH/UG | LP820-LMC | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Leviton w/disconnect/panel | 1 | OH/UG | LP815-LMC | 150 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | ОН | U6193-RL-QG-AMS | 125 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U3042-XL-QG-BLG-LIS | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Eaton | 1 | OH/UG | HP816P400BSL | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U5880-XL-200 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U3791N-RXL-200 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U6281-XL-200 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |



In support of moving customer projects forward, the meter sockets listed below are only approved during the meter socket shortage.

All sockets shall have a lever bypass with clamping jaws, arc flash shield, ringless cover, and a bonding connection between the neutral and the enclosure.

*Eversource installs and owns the cable for services fed from a duct and manhole system. These meter sockets are the only option approved for this type of installation.

| TEMPORARILY APPROVED UNTIL 12-31-2024 | MANUFACTURER | NUMBER OF POSITIONS | TYPE OF SERVICE | RINGLESS MODEL NUMBER | SERVICE SIZE/ AMPS | WHEN USED FOR UNDERGROUND SERVICES |
|---|--------------------------|------------------------|--------------------|--------------------------|-----------------------|---------------------------------------|
| APPROVED | Milbank | 1 | OH/UG | U9551-RXL | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U5871-XL-200 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank w/disconnect | 1 | OH/UG | U3986-XL-200 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Square D/panel | 1 | OH/UG | QC816F200SL | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U4801-XL-5T9 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | UG | U2047-O | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank w/disconnect | 1 | OH/UG | U3986-XL-100 | 100Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank w/disconnect | 1 | OH/UG | U3986-XL-150 | 150 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank w/disconnect | 1 | OH/UG | U5080-RXL-200 | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Eaton w/disconnect/panel | 1 | OH/UG | CMBXB200BTS | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Siemens | 1 | OH/UG | 41405-025F | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Siemens | 1 | OH/UG | MM0404L1400RLM | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Eaton w/disconnect/panel | 1 | OH/UG | MBX816B200BTS | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 2 | OH/UG | U4142-XT-LIS | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Talon | 1 | ОН | MM0202L1125RLC | 100 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |



In support of moving customer projects forward, the meter sockets listed below are only approved during the meter socket shortage.

All sockets shall have a lever bypass with clamping jaws, arc flash shield, ringless cover, and a bonding connection between the neutral and the enclosure.

*Eversource installs and owns the cable for services fed from a duct and manhole system. These meter sockets are the only option approved for this type of installation.

| TEMPORARILY APPROVED UNTIL 12-31-2024 | MANUFACTURER | NUMBER OF POSITIONS | TYPE OF SERVICE | RINGLESS MODEL NUMBER | SERVICE SIZE/ AMPS | WHEN USED FOR UNDERGROUND SERVICES |
|---|--------------|------------------------|--------------------|--------------------------|-----------------------|---------------------------------------|
| APPROVED | Talon | 1 | OH/UG | 48104-02 | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Siemens | 1 | OH/UG | MK0402L1400RLM | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Eaton | 1 | OH/UG | UTH43369UCH | 320 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | OH/UG | U9701-RXL-QG | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U4362-R-K3-BLG-AEPU | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Eaton | 1 | OH/UG | 1008801EXCH | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 2 | OH/UG | U5972-XT-5T9-BL | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | OH/UG | U5740-X-K3-K2L-5T6-AMS | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U5786-X-K3-K2-5T6-AMS | 320 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | OH/UG | U2448-X | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U6513-XL-BL-ALT | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | OH/UG | U5890-X-2/200-BL | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U5059-X-2/200 | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Sqaure D | 1 | ОН | RCM200SL | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Eaton | 1 | OH/UG | 1006352C-CH | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |



In support of moving customer projects forward, the meter sockets listed below are only approved during the meter socket shortage.

All sockets shall have a lever bypass with clamping jaws, arc flash shield, ringless cover, and a bonding connection between the neutral and the enclosure.

*Eversource installs and owns the cable for services fed from a duct and manhole system. These meter sockets are the only option approved for this type of installation.

| TEMPORARILY APPROVED UNTIL 12-31-2024 | MANUFACTURER | NUMBER OF POSITIONS | TYPE OF SERVICE | RINGLESS MODEL NUMBER | SERVICE SIZE/ AMPS | WHEN USED FOR UNDERGROUND SERVICES |
|---|--------------|------------------------|--------------------|--------------------------|-----------------------|---------------------------------------|
| APPROVED | Eaton | 2 | OH/UG | UT2H52353UCH | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 2 | OH/UG | U4372-XT-5T9-AMS | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 3 | OH/UG | U4373-XT-5T9-AMS | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 4 | OH/UG | U4374-XT-5T9-AMS | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 5 | OH/UG | U4375-XT-5T9-AMS | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 6 | OH/UG | U4376-XT-5T9-AMS | 200 Amp | *OPTIONAL (ELECTRICIAN or EVERSOURCE) |
| APPROVED | Milbank | 1 | OH/UG | U4702-X-5T9-K3-K2-IL | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | ОН | U9550-RDL-QG-AMS | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | OH/UG | U5864-X-HSP | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Milbank | 1 | ОН | U4363-X-HSP | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Square D | 1 | OH/UG | UTH4330T | 320 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Siemens | 1 | OH/UG | 48804-02NU | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |
| APPROVED | Square D | 1 | OH/UG | UTH5213T | 200 Amp | ELECTRICIAN REQUIRED TO PULL CABLE |